





ITEM	QTY	PART NUMBER	DESCRIPTION	MASS
1	4	19613	RF Screw cylindrical head.M8x16.A2.ISO 4762	0 kg
11	4	132037	Vibr. damper D30x15 black	0 kg
15	1	646304	Bottom plastic part	1 kg
16	1	646305	Top plastic part	1,1 kg
19	1	650212	CL26 Control panel w. energy meter	1,3 kg
20	1	650133	CR290 Fan assy.	3,1 kg
21	1	650134	CL26 Center assy.	6,2 kg
22	1	650008	Top label	0 kg
23	2	650014	COTES Logo label - Size 100	0 kg
24	2	650015	Air trap foil	0 kg
28	1	Typeskilt 90x50	Typeskilt 90x50mm	0 kg
29	0,75m	130001	Black list 2x8mm	0 kg


COTES COTES A/S Bjørnholms Allé 20, 1. DK-8260 Viby J +4558196322 info@cotes.com	Designed by: TMJ	Date: 23-02-2024	Mass: N/A	Scale: 1:4	Format: A3
	Checked by:	Date:	CL26 w. energy meter		
				Material No.: mm	Sheet: 1
			Drawing No.: ASM_650210	Rev.	

Where nothing else is stated dimension tolerance according to ISO 2768-m

STEP 1



STEP 2




ITEM	QTY	PART NUMBER	DESCRIPTION	MASS
11	4	132037	Vibr. damper D30x15 black	0 kg
15	1	646304	Bottom plastic part	1 kg
19	1	650212	CL26 Control panel w. energy meter	1,3 kg
20	1	650133	CR290 Fan assy.	3,1 kg
21	1	650134	CL26 Center assy.	6,2 kg
24	2	650015	Air trap foil	0 kg


COTES COTES A/S Bjørnholms Allé 20, 1. DK-8260 Viby J +4558196322 info@cotes.com	Designed by: TMJ	Date: 23-02-2024	Mass: N/A	Scale: 1:4	Format: A3
	Checked by:	Date:	Material No.: mm		Sheet: 2
	CL26 w. energy meter		Drawing No.: ASM_650210		Rev.

Where nothing else is stated dimension tolerance according to ISO 2768-m

STEP 3



USE THE ZIP TIE TO STRENGTHEN
THE CONNECTION
WITH BOTH CONNECTORS!
[UŻYJ OPASKI ZACISKOWEJ DO
UMOCNIENIA MONTAŻU
ZE SOBĄ OBU KOSTEK!]



ITEM	QTY	PART NUMBER	DESCRIPTION	MASS
19	1	650212	CL26 Control panel w. energy meter	1,3 kg
19.15	1	650215	CL26 w. Energy meter - Power wire harness	0,1 kg
19.14	1	650018	Selector wire harness	0 kg
19.8	1	650019	Pot.meter wire harness	0 kg
20	1	650133	CR290 Fan assy.	3,1 kg
20.9	1	111103	Connector.3.M.P.16A	0 kg
20.10	1	111106	Connector.4.F.S.16A	0 kg




COTES A/S
Bjørnholms Allé 20, 1.
DK-8260 Viby J
+4558196322 info@cotes.com

Designed by: TMJ	Date: 23-02-2024	Mass: N/A	Scale: 1:4	Format: A3
Checked by:	Date:	Material No.: mm	Sheet: 3	Rev.
CL26 w. energy meter		Drawing No.: ASM_650210		

Where nothing else is stated dimension tolerance according to ISO 2768-m

STEP 4



COTES A/S
Bjørnholms Allé 20, 1.
DK-8260 Viby J
+4558196322 info@cotes.com

Designed by: TMJ Date: 23-02-2024
Checked by: Date:

CL26 w. energy meter

Mass: N/A Scale: 1:4 Format: A3




Material No.: mm Sheet: 4

Drawing No.: ASM_650210 Rev.

Where nothing else is stated dimension tolerance according to ISO 2768-m

STEP 5

FINAL STEP



FRONT OF THE MACHINE

ITEM	QTY	PART NUMBER	DESCRIPTION	MASS
1	4	19613	RF Screw cylindrical head.M8x16.A2.ISO 4762	0 kg
16	1	646305	Top plastic part	1,1 kg
22	1	650008	Top label	0 kg
23	2	650014	COTES Logo label - Size 100	0 kg
28	1	Typeskilt 90x50	Typeskilt 90x50mm	0 kg
29	0,75m	130001	Black list 2x8mm	0 kg

COTES

COTES A/S
Bjørnholms Allé 20, 1.
DK-8260 Viby J
+4558196322 info@cotes.com

Designed by: TMJ
Checked by:

Date: 23-02-2024
Date:

CL26 w. energy meter

Mass: N/A
Material No.: mm
Drawing No.: ASM_650210

Scale: 1:4
Sheet: 5
Rev.

Format: A3

Where nothing else is stated dimension tolerance according to ISO 2768-m